

Setting up workstation with TS Print Client

We find that using TSPrint drivers for your printing from SPM or PHM will provide you with the most consistent experience, rather than using the Microsoft EasyPrint (redirected) printers.

If possible, use network printers, or setup the local printer driver as an IP address, not a Share name.

- 1. Download the TS Print Client application and install on the workstation https://www.terminalworks.com/downloads/tsprint/TSPrint_client.exe
- 2. On the (Windows) workstation go to Start > Terminal Works > Options



3. On the General page select **TSPrint** as the 'PDF Print Engine' and check **ON** the 'Map Settings' option.

TerminalWorks	General Dynamic Rec	direction Logging		
	PDF Print Engine:	TSPrint		~
	Default Printer:	HP LJ300-400 c	olor MFP M375-M4	75 PCL 6 🗸
		Show Printer	Settings	Map Settings
	Printer Mappings			
	Server Printers		Local Printers	
	-		Edit	Delete
TSPrint	Enable Session I Note: This chang	n Session ge will be applied afte	er next login.	
		100	Save VC	ancel

4. On the Dynamic Redirection tab, select the printers that you want to print from the SPM or PHM application.

If you work from different locations with different printers, also select the printers at that

location if they are visible on the network.

General	Dynamic Redirection	Logging		
Select list	of client printers that of Fax: Driver To OneNote 2013 Creator Architect 6 940C5 (HP LaserJet 4 BRA0 (HP Color Laser Isoft Print to PDF J300-400 color MFP N W1102.isw.local\Broth	will be mapped on sen 00 colorMFP M475dn rJet M552) 1375-M475 PCL 6 er QL-700)	Select All Deselect All

5. Go to Setup > Printers in SPM or PHM

The printers you selected will appear in the list and will include a number that is prefixed with a hash symbol **#** e.g. #00500 (this number will always appear with the login you are using).

> Prescriptions		
 Printers 	NPI4F8FA0 (HP Color LaserJet M552) #00500	NPI4F8FA0 (HP Color LaserJet M552) #00500
Canon Generic PC		

6. Select the printer and make the required tray selections or print offset margins Laser printer

Printer Setup		×
NPI4F8FA0 (HP ((NPI4F8FA0 (HP C	Color LaserJet M552) #00500 olor LaserJet M552) #00500)	
☐ This is a Label pr Print in Lands ☐ Use 'Copies'	inter t cape mode setting	Printing Offsets (inches)
A5 Invoices	Tray 1 (259)	A <u>5</u> Paper 0.30
Prescriptions	Tray 1 (259)	A <u>4</u> Paper 🔓 🛛 0.50
Letterhead	Tray 3 (257)	Patient Notes 0.50
Follow On	Tray 2 (259)	L <u>a</u> bels (horiz.) 0.00
Follow Off		(vert.) 0.00
Inventory - draft Invoice	1ray 2 (258)	
- final	Tray 2 (258)	Override Paper Size
File Copy	Tray 1 (259)	 Use printer defaults A4 size
Plain Paper	Tray 2 (258)	C A5 size
Sheet Labels	Tray 1 (259)	C Custo <u>m</u> size:
Envelopes	Tray 1 (259)	Height 26.91 cm
Pre-printed Forms	Tray 1 (259)	Wi <u>d</u> th 20.56 cm
	Envelopes Sheet Labels	<u>C</u> ancel <u>O</u> K

_abel printer			
😢 Printer Setup		×	<
\\ISW1102.isw.local\Brother QL-700 #00500 (\\ISW1102.isw.local\Brother QL-700 #00500)			
This is a Label printer I Print in Landscape mode Use 'Copies' setting		Printing Offsets (inches)]
A5 Invoices	▼ ť	A <u>5</u> Paper 0.30	
rescriptions	▼ t	Patient Notes 0.00	
Letterhead	▼ t	L <u>a</u> bels (horiz <mark>) 0.30</mark>	1
Follow On	t t	(vert.) 0.30	
Inventory - draft	Ť.		1

7. Then go to Setup > Workstation > Configuration and choose the printers that you use from the location you are working at.

Workstation	demo	
Con <u>t</u> act Phone		
Normal Printer	NPI4F8FA0 (HP Color LaserJet M552 #00500	•
Color Printer	NPI4F8FA0 (HP Color LaserJet M552) #00500	•
Label Printer	\\ISW1102.isw.local\Brother QL-700 #00500	•
Sheet Label Printer	NPI4F8FA0 (HP Color LaserJet M552) #00500	•
Fax Printer	SPM Fax Driver	•
PDF Printer	TSPrint PDF	•